

N-MINI

Active Network Integrated Reader Controller



EntryPass Active Networks are designed to enhance highly customized and rapid 'real-time' changes to the underlying network operation. Brilliantly engineered with all the power you need to enable code-sending, minus unnecessary buffer time with its distributed architecture capable of processing access demand at the edge level without leveraging at the server end.



N-MINI Active Network Integrated Reader Controller



ACTIVE TRANSMISSION

Rather than keeping the event in memory awaiting for host server poll, Entrypass N-MiNi actively transmit the current event data to host server as it happens, mean event get delivered instantly and can be act upon faste.



ACTIVE PUSH

No more waiting! Abandoned the conventional card sending process which take forever, DataMirror reproduce the exact card data structure before sending to the control panel. This dramatically reduced the time required for sending large quantity of card to control panel.



ACTIVE DIAGNOSE

When detected error, system will prompts user via the onboard graphical LCD. Installer information can be loaded prior activating the system. No more worries on who to call when system breaks down.



ACTIVE SEARCH

Newly improved card searching algorithm, now card authentication only takes a fraction of second even when the memory is full.

Feature Highlight

Single Door Application

Available in Various Reader Technologies

TCP/IP Port Onboard

Relay Mirror Capability

White Graphical LCD Display

Firmware Upgrade via Server

10,000 Card Holder / 20,000 Event Buffer Memory


Intuitive Display Menu

Adaptive Reader Location

Card Only / Card + Pin / Buddy Mode

N-MINI Active Network Integrated Reader Controller

Basic System Diagram




Technical Specification

Dimension	118 x 25 x 67 (mm)
MCU Speed	20Mhz
EEPROM	64K
Network Communication Port	1 - RJ-45 Self-Negotiate 10/100mbps
Card User	10,000
Transaction Event	20,000
Time Set / Time Zone	255 sets
Site Codes	3 sets
Power Protection	Resettable Fuse
Built in real time clock	Yes
Internal backup battery	Yes
On Board Buzzer	Yes
Graphical LCD	128 x 64 (pixel)
Encrypted Lock Control	Yes
Support card expiry check	Yes
Local release pin	3 sets
Backlit keypad	Yes
Detachable wall-mount back plate	Yes

Ordering Information

- EP.N918 EntryPass MiNi Networked Integrated Reader Controller - EM-Proximity with LCD
- EP.N938 EntryPass MiNi Networked Integrated Reader Controller - FSK Proximity with LCD
- EP.N968 EntryPass MiNi Networked Integrated Reader Controller - MIFARE with LCD
- EP.N988 EntryPass MiNi Networked Integrated Reader Controller - HID iClass with LCD

N-MINI Active Network Integrated Reader Controller



www.entrypass.net

Malaysia

No. 40, Jalan TPP 1/10, Taman Industri Puchong, Batu 12 Jalan Puchong, 47160 Puchong Selangor Darul Ehsan, Malaysia.
Tel : +603 8068 1929
Fax : +603 8062 6937
Email : info@entrypass.net

Singapore

No. 1, UBI View, #03-03, Focus ONE Building, Singapore 408555.
Tel : +65- 6841 7242
Fax : +65- 6841 3937
Email : info@entrypass.net

Indonesia

Jl. Raya Lodan No. 2, kompl. Ruko Lodan Centre Blok. P 10, Jakarta Utara 14430, Indonesia.
Tel : +62 21 6983 3153
Fax : +62 21 690 3005
Email : info@entrypass.net

A securityhub group company

